









PART I Annex C- 2 Pricing Item Description IFIB-JWC-20-60


C-1 Item Number	Item Description	Photo of like item
1- 4	<p>Office Chair Wheeled, fabric seat, steel frame, base with wheels, adjustable seat, with arm-rest including:</p> <ul style="list-style-type: none"> a. height and seat depth adjustment b. Forward and Backward Tilt mechanism c. Adjustable back, with tilt/lock d. 5-star base with wheels e. Adjustable from seated position f. Medium or high back g. Hard-wearing upholstery fabric, mechanical abrasion resistance minimum 80,000 Martindale Rubs h. Color Black i. Back Support: Minimum 1 chair with mesh back and minimum 1 chair with fabric (not mesh) 	
5- 8	<p>Same as Items 1-4 with additional:</p> <ul style="list-style-type: none"> a. Executive 24-hr chair b. High back, head rest c. Rated for intensive 24/7 usage d. Hard-wearing upholstery fabric, mechanical abrasion resistance minimum 100,000, Martindale Rubs 	
9a	<p>Ergonomic chair, wheeled, fabric seat, steel frame, base with wheels, adjustable seat:</p> <ul style="list-style-type: none"> a. Height and seat depth adjustment b. Forward and backward tilt mechanism c. Adjustable back, with tilt/lock d. 5-star base with wheels e. Adjustable from seated position f. Hard-wearing upholstery fabric, mechanical abrasion resistance minimum 100,000 Martindale Rubs g. Color Black 	<p>9a (e.g. Capisco 8106)</p> 

NON SENSITIVE INFORMATION RELEASABLE TO THE PUBLIC




<p>9b-c</p>	<p>Ergonomic/balance chair, wheeled and none-wheeled, fabric seat, adjustable seat:</p> <ul style="list-style-type: none"> a. Forward and backward tilt mechanism b. Saddle seat c. Rounded base or flat base with tilt d. Adjustable from seated position e. Hard-wearing upholstery fabric, mechanical abrasion resistance minimum 100,000 Martindale Rubs f. Color Black (chrome or black frame) 	
<p>10-20</p>	<p>Desk, additional requirements Desktop thickness = 22-23 mm</p> <p>Height requirements (working position): min: 65cm max: 130cm Weight capacity: appx. 200kg for 3-legs Weight capacity: appx. 150kg for 2-legs</p> <p>Manufacturer elevating feet: IDT Ergolift 650 is strongly recommended. (For standardization purposes as this type is already in use at JWC)</p>	<p>Cable Tray, 180 cm</p>  <p>Cable Support, 80 mm</p> 
<p>10-11</p>	<p>Desk, high pressure laminate top, Birch and white with:</p> <ul style="list-style-type: none"> a. Minimum thickness of 22mm b. Complete cable tray for desk solution c. Hole for cable d. Including elevation feet e. See photos 	 <p>DESK, LIFT, 200X90, BIRCH</p>

NON SENSITIVE INFORMATION RELEASABLE TO THE PUBLIC

		 <p>90 200</p> <p>DESK, LIFT, 200X90, WHITE</p>
<p>12 - 15</p>	<p>Desk, high pressure laminate top, Birch and white with:</p> <ol style="list-style-type: none"> Minimum thickness of 22mm Complete cable tray for desk solution Hole for cable Including elevation feet Photo of white not attached. Same white as line 11 	 <p>180 120 80</p> <p>DESK, LIFT, 180X120, LEFT, BIRCH</p>  <p>120 180 80</p> <p>DESK, LIFT, 180X120, RIGHT, BIRCH</p>
<p>16-19</p>	<p>Desk, high pressure laminate top, Birch with:</p> <ol style="list-style-type: none"> Minimum thickness of 22mm Complete cable tray for desk solution Hole for cable Including elevation feet See photo samples, photo 180x160 right not attached. 	 <p>80 180 60 180</p> <p>DESK, LIFT, 180X180, LEFT, BIRCH</p>

		 <p>180 180 60 80</p> <p>DESK, LIFT, 180X180, RIGHT, BIRCH</p> <p>80 180 60 160</p> <p>DESK, LIFT, 180X160, LEFT, BIRCH</p>
<p>20</p>	<p>Desk, high pressure laminate top, White with:</p> <ol style="list-style-type: none"> Minimum thickness of 22mm Complete cable tray for desk solution Hole for cable Including elevation feet Same stile as 11 	<p>See photo for line number 11</p>
<p>21- 22</p>	<p>Electric Feet for Desk and Corners</p> <ol style="list-style-type: none"> Minimum 65-125cm 230 Volt Euro Socket – must fit with CEE 7/4 Schuko sockets 50 Herz 21A: Min Desk top 90x180 cm and min weight hold of 110kg 21B: Min Desk top 90x220 cm and min weight hold of 150kg. BRAND: IDT-650 22A: Min Desk top 200x240 cm and min weight hold of 140kg 22B: Min Desk top 220x260 cm and min weight hold of 190kg. BRAND: IDT-650 	
<p>23</p>	<p>Table laminate top, birch, 140X80CM, Metal frame, 4 leg</p>	

NON SENSITIVE INFORMATION RELEASABLE TO THE PUBLIC

26	<p>Cabinet 3A4, 160CM, Depth outdoor approx. 40CM, with lockable sliding doors. 3 vertical sections (Approx. width 30 + 50 + 80 CM). Recessed handle in chrome.</p> <p>Section one: with coat hook Section two: 3A4, including set of drawers Section three: 3A4</p> <ul style="list-style-type: none"> • 26a: color - frame colour grey F-2297, sliding doors with colour white F-7923 • 26b: color - frame colour birch, sliding doors and shelves with color white F-7923 	<p>26 Outside</p>  <p>26 Inside</p> 
31	<p>Drawers on wheels, low model (56 cm height).</p> <p>A: Colour grey F-2297 B: Colour white F-7923</p>	
42	<p>Hourly rate for dismantling of furniture (add additional text if necessary)</p>	

ADDITIONAL SPECIFICATIONS

- The cubicles/furniture shall be equal or better in quality than the provided samples in this Exhibit.
- Colors F-2297 and F-7923, needs a near match.

NON SENSITIVE INFORMATION RELEASABLE TO THE PUBLIC